



## 80V Fuse Car Fuse 20A 30A 40A 50A 60A 70A 80A 100A Micro Fuse

### Our Product Introduction

for more products please visit us on [lk-thermistor.com](http://lk-thermistor.com)

#### Basic Information

- Place of Origin: China
- Brand Name: LINKUN
- Certification: UL RoHS
- Model Number: ATA-80V
- Minimum Order Quantity: 1000PCS
- Price: Negotiate
- Packaging Details: 1000PCS/Bag
- Delivery Time: 6-10 days
- Payment Terms: T/T, Western Union,
- Supply Ability: 100,000 0pieces/month




#### Product Specification

- Voltage Rating: 80 Volts
- Rated Current: 20A-120A
- Type: Long Legs Micro2 Blade Fuse
- Breaking Capacity: Low
- Body Material: Nylon With 25% Fiberglass
- Metal: Nylon With 25% Fiberglass, Red
- Cover Material: Copper Alloy, Gal.Sn
- Quality: 100% Tested
- High Light: 80V Automotive Micro Fuses
- Highlight: 80V Micro Fuse, 20A 80V Micro Fuse, 80V Car Fuse



#### More Images



## Product Description

### Product Description:

#### 80VDC ATA Tiny Micro2 Style Automotive Blade Fuses Micro 2 Long Leg Plug In Insert Type

ATA 80V micro2 Car Fuse

Fast Acting For Rated Voltage Up To 80V DC

Rating: 1A to 20A

Body Material: Nylon with 25% Fiberglass

Cover Material: Nylon with 25% Fiberglass, Red

Metal Material: Copper Alloy, gal.Sn










Interruption Ratings: 1000A 80VDC

### Specifications


Body Material	Nylon with 25% Fiberglass
Cover Material	Nylon with 25% Fiberglass, Re
Metal Material	Copper Alloy, gal. Sn
Interruption Ratings	1000A 80VDC

### Opening Time/ Pre-arcing Time

In	1.1In	1.35In		2.0In		3.5In		6.0In	
1~20A	>100hr	Min.	Max.	Min.	Max.	Min.	Max.	Min.	Max.
		0.75 s	1800 s	0.15 s	30 s	0.04 s	0.5 s	0.01 s	0.1 s

Part Number	Amperage	Voltage(VDC)	Body Color
1442 1100 200	1A	80V	
1442 1200 200	2A		
1442 1300 200	3A		
1442 1400 200	4A		
1442 1500 200	5A		
1442 1750 200	7.5A		
1442 2100 200	10A		
1442 2150 200	15A		
1442 2200 200	20A		

## AUTO FUSE



### Car Fuse - Your Essential Automotive Protection

Car Fuse is an essential product for every car owner. It is a small but powerful device that protects your car's electrical system from overloading and short circuiting, ensuring a smooth and safe driving experience. With its advanced features and durable materials, Car Fuse is the perfect choice for all your automotive fuse needs.

#### Product Attributes

**Body:** Made of high-quality PC/PA materials, Car Fuse is durable and can withstand high temperatures and vibrations. This makes it suitable for use in all types of vehicles, including cars, trucks, and motorcycles.

**Breaking Capacity:** With a low breaking capacity, Car Fuse is designed to break easily in case of an overload or short circuit, preventing further damage to your car's electrical system.

**Rated Current:** Car Fuse is available in a wide range of rated currents, from 20A to 120A. This allows you to choose the appropriate fuse based on your car's electrical needs.

**Metal:** The fuse element of Car Fuse is made of zinc alloy, which is known for its high conductivity and strength. This ensures efficient and reliable performance of the fuse.

**Break Speed:** Car Fuse has a fast break speed, ensuring quick and effective protection in case of an electrical overload or short circuit.

#### Key Features

The following are the key features of Car Fuse that make it stand out from other automotive fuses in the market:

**5A-30A ATA Car Micro 2 Blade Fuse:** This fuse is designed specifically for use in cars and has a compact and space-saving design. It is available in a range of current ratings, from 5A to 30A, to suit different car models.

**Nylon PA66 Housing:** The housing of Car Fuse is made of high-quality nylon PA66, which is resistant to heat, chemicals, and abrasion. This ensures the durability and longevity of the fuse.

**Long Leg Design:** The long leg design of Car Fuse allows for a secure and tight fit, preventing any loose connections or vibrations that may cause damage to the fuse.

**5A 10A 15A 20A 30A 40A ATO ATC 32V DC LED Blade Fuse:** This fuse has a built-in LED indicator that lights up when the fuse is blown, making it easy to identify and replace a faulty fuse.

Automotive Protection With LED Indicator: The LED indicator on Car Fuse provides an extra layer of protection by alerting you when the fuse is blown, preventing any further damage to your car's electrical system.

RED LED Indicator SAE J1284: The red LED indicator on Car Fuse is compliant with the SAE J1284 standards, ensuring reliable and accurate indication of a blown fuse.

Mini Automotive Fuses: Car Fuse is available in a mini size, making it suitable for use in tight spaces and compact vehicles.

2A 3A 4A 5A 7.5A 10A 15A 20A 25A 30A: Car Fuse offers a wide range of current ratings, from 2A to 30A, to cater to the different electrical needs of your car.

Why Choose Car Fuse?

There are several reasons why Car Fuse is the best choice for your automotive fuse needs:

Durable and Reliable: Made with high-quality materials and advanced technology, Car Fuse is durable and reliable, ensuring long-lasting performance.

Easy to Install: Car Fuse is designed for easy installation, making it convenient for car owners to replace a blown fuse themselves.

Cost-Effective: Car Fuse is an affordable solution for protecting your car's electrical system. It helps prevent costly repairs and replacements due to electrical failures.

Universal Compatibility: Car Fuse is compatible with all types of vehicles, making it a versatile and essential product for every car owner.

Safe and Effective: With its fast break speed and LED indicator, Car Fuse provides effective protection and alerts you when a fuse is blown, ensuring the safety of your car and its passengers.

Don't compromise on the safety and performance of your car's electrical system. Choose Car Fuse for reliable and efficient automotive protection. Get yours today!

Features:

Product Name: Car Fuse

Terminal Type: Blade

Metal: Zinc Alloy

Rated Voltage: 32V DC

Break Speed: Fast

Size: 29.3x34.1x8.8mm

Car Blade 40A Automotive Fuse

Middle Medium Standard Size

ATU ATO ATC ATY low profile mini blade fuse

Blade Mounting

1A-40A 58V DC ATT Auto Blade Fuse

40A Automotive Fuse Car Low Profile Blade Fuse

MTA 5A 10A 20A 40A Automotive Micro Fuses

High Temperature Resistance

Standard

Get Best Price

Technical Parameters:

Product Name	Car Fuse
Break Speed	Fast
Terminal Type	Blade
Standards	According to SAE J1888
Metal	Zinc Alloy
Body	PC/PA
Size	29.3x34.1x8.8mm
Shape	Blade Type
Breaking Capacity	Low
Rated Voltage	32V DC
Voltage Rating	32 Volts

Features

Product Name	Car Blade 40A Automotive Fuse Middle Medium Standard Size ATU ATO ATC ATY low profile mini blade fuse
Terminal Type	Blade
Standards	MTA 5A 10A 20A 40A Automotive Micro Fuses High Temperature Resistance Standard
Breaking Capacity	Low
Size	Standard Size

<b>Shape</b>	Blade Type
<b>Metal</b>	Zinc Alloy
<b>Body</b>	PC/PA
<b>Rated Voltage</b>	32V DC
<b>Voltage Rating</b>	32 Volts
<b>Special Features</b>	High Temperature Resistance, Low Profile Design, Easy Installation

### Applications:

Car Fuse - LINKUN ATM

Brand Name: LINKUN

LINKUN is a well-known brand in the automotive industry, specializing in high-quality car fuses. With years of experience and advanced technology, LINKUN has gained a reputation for its reliable and durable products.  
Model Number: ATM

The LINKUN ATM series is one of the most popular products in the market. It is designed to meet the needs of various car models and is suitable for both old and new cars.  
Place of Origin: China

All LINKUN car fuses are proudly made in China, using the latest technology and high-quality materials. Each product undergoes strict quality control to ensure its reliability and safety.  
Standards: According To SAE J1888

LINKUN ATM car fuses are manufactured according to the SAE J1888 standard, ensuring that they meet the strict requirements for safety and performance in the automotive industry.  
Shape: Blade Type

The ATM series features a blade type design, which is the most common and widely used shape for car fuses. This design allows for easy installation and replacement.  
Metal: Zinc Alloy

The LINKUN ATM car fuses are made of high-quality zinc alloy, which is known for its durability and resistance to corrosion. This ensures that the fuses can withstand the harsh conditions of the engine compartment.  
Voltage Rating: 32 Volts

The LINKUN ATM car fuses have a voltage rating of 32 volts, making them suitable for use in most car models. This ensures that the fuses can handle the normal electrical load of a car without any issues.  
Breaking Capacity: Low

The breaking capacity of the ATM series is low, which means that the fuses will break quickly in case of an overload or short circuit. This helps to protect the car's electrical system and prevent damage to other components.  
Application Scenarios

The LINKUN ATM car fuses are suitable for a wide range of applications, including:

Car Blade 40A Automotive Fuse

Middle Medium Standard Size ATU ATO ATC ATY low profile mini blade fuse

MTA 5A 10A 20A 40A Automotive Micro Fuses

High Temperature Resistance Standard

Whether you are a car owner, mechanic, or auto parts retailer, the LINKUN ATM car fuses are the perfect choice for all your automotive fuse needs. With their high quality and affordable price, they are sure to exceed your expectations and provide the best value for your money.

Get Best Price

If you are looking for high-quality car fuses at a competitive price, look no further than LINKUN. Contact us to get the best price for our 150A Automotive Micro Fuses and other products. Our team will be happy to assist you and provide you with all the necessary information.

### Customization:

Customized Services for LINKUN Car Fuse

Brand Name: LINKUN

Model Number: ATM

Place of Origin: China

Shape: Blade Type

Body: PC/PA

Size: 29.3x34.1x8.8mm

Rated Current: 20A-120A

Usage: Automotive

Our customized services for LINKUN Car Fuse include a range of options to meet your specific needs. We understand the importance of a reliable and efficient fuse in your car, and our team is dedicated to providing you with the best solution.  
Our Car Fuse is available in a blade type shape, made with high quality PC/PA materials. The fuse comes in a standard size of 29.3x34.1x8.8mm, but can also be customized to fit your specific requirements.  
With a rated current range of 20A-120A, our Car Fuse is suitable for a wide range of automotive applications. Our fuses are designed to ensure the safety and protection of your car's electrical system.  
For added convenience, our Car Fuse is easy to use and install. Simply plug in the fuse and you're ready to go. Our fuses come in a variety of ratings, including 5A-30A ATA Car Micro 2 Blade Fuse Nylon PA66 Housing Long Leg and 5A-15A Automotive Micro Fuses Plug In 3 Terminal Tiny Blade Legs. These options provide you with the flexibility to choose the best fit for your car's needs.  
Trust LINKUN for all your Car Fuse needs. Our customized services will ensure that you have the right fuse for your car, no matter the make or model. Contact us today to learn more about our products and how we can help you.

### Packing and Shipping:

#### Car Fuse Packaging and Shipping

##### Packaging:

The Car Fuse is packaged in a sturdy and compact box to ensure safe transport and storage. The box is made of high-quality cardboard material and is designed to protect the fuse from any damage during shipping.

The box features a bright and eye-catching design, with the product name and logo printed on the front. The box also includes a detailed label with important information such as the fuse type, amperage, and usage instructions.

Inside the box, the fuse is placed in a plastic tray or wrapped in a protective layer to prevent any scratches or breakage. The packaging is designed to keep the fuse in place and prevent it from moving around during transit.

##### Shipping:

For shipping, the Car Fuse is carefully packed in a larger cardboard box to provide extra protection during transportation. The outer box is marked with the product name, logo, and other important details, making it easy to identify.

We use trusted shipping carriers to ensure timely and safe delivery of our products. Our team also takes extra care in handling and labeling the packages to avoid any damage during transit.

Before shipping, the fuse is thoroughly inspected to ensure it meets our quality standards and is ready for use by the customer.

With our secure packaging and reliable shipping methods, you can trust that your Car Fuse will arrive in perfect condition and ready to be installed in your vehicle.



**Dongguan Linkun Electronic Technology Co., Ltd.**



13423305709



huangju@lk-ptc.com



lk-thermistor.com

Room 101, No. 21, Huayuanzai Road, Chongmei, Chashan Town, Dongguan City, Guangdong Province